

The STIHL logo is positioned in the top right corner of the page. It consists of the word "STIHL" in a bold, white, sans-serif font, set against a solid orange rectangular background.

STIHL

STIHL EAST AFRICA PRODUCTS

STIHLEA.CO.KE



FORESTRY

CHAINSAWS



MS 170

30.1 cm³ • 1.2 kW/ 1.6 hp • 4.1 kg • 0.25l

Compact construction. Light and handy. Long life filter system with compensator extends the intervals between cleanings.



MS 250

45.4 cm³ • 2.3 kW/ 3.1 hp • 4.6 kg • 0.46l

Convenient single lever. Master Control with start, run and stop positions. Filler caps opened and closed without tools.



MS 382

72.2 cm³ • 3.9 kW/ 5.3 hp • 6.2 kg • 0.68l

Side access chain tensioner – simplifies chain tensioning. Decompression valve for easier starts. 2-MIX Engine technology increasing overall engine efficiency reducing fuel consumption and environmental emissions.



MS 651

91.1 cm³ • 5.0 kW/ 6.8 hp • 7.3 kg • 0.85l

STIHL 2-MIX engine. ElastoStart plus (ElastoStart starter grip and decompression valve). Longlife filter system with compensator and HD2 element. New front AV element for reduced vibrations.



MS 780

121.6 cm³ • 6.4 kW/ 8.7 hp • 9.9 kg • 1.3l

ElastoStart plus (ElastoStart starter grip and decompression valve). Two bumper spikes for accurate control. Ematic system with adjustable oil pump reduces chain oil consumption by up to 50%.

POLE PRUNER



HT 75

25.4 cm³ • 0.95 kW/ 1.3 hp • 7.3 kg

ElastoStart starter grip and additional fuel pump for easier starts. Telescopic shaft for good reach without need for lift bucket or work platform. This shaft rapidly adjusts for precise biting and precise cut. It also compresses to convenient length for transportation.



AGRICULTURE

WATER PUMPS



WP 300

212 cm³ • 4.4 kW/ 6.0 hp •
Max 615 l/min • Suction 7m

Powerful STIHL EHC 605 4-stroke engine. Self-priming pump with 2" connections for medium displacement. Maximum flow capacity of approx. 37 m³/h and total head of 33 m. Low oil protection sensor to protect engine against damage.



WP 600

212 cm³ • 4.4 kW/ 6.0 hp •
Max 1050 l/min • Suction 7m

Powerful STIHL EHC 605 4-stroke engine. Self-priming pump with 3" connections for large displacement. Maximum flow capacity of approx. 63 m³/h and total head of 31 m. Integrated strainer to protect engine from small objects and dirt particles.



WP 900

252 cm³ • 5.2 kW/ 7.1 hp •
Max 1565 l/min • Suction 6.5m

Powerful STIHL EHC 705 4-stroke engine. Self-priming pump with 4" connections for large displacement. Maximum flow capacity of approx. 94 m³/h and total head of 34m.

TEA PRUNERS



COMING
SOON

FT 230

40.2 cm³ • 1.55 kW/ 2.1 hp

ElastoStart plus starter grip and additional fuel pump for easier starts. Bike handle fully adjustable to suit operator. Longlife filter system with compensator and oil impregnated air filter element for dusty operating site.

TILLERS



MH 610

212 cm³ • 4.4 kW/ 6.0 hp •
Tilling set diameter 31cm

Suitable for mid-sized fields. Particularly suitable for tilling the soil, weeding, inter cultivation, making furrows & making narrow drains for irrigation in the field after cultivation. Powerful STIHL EHC 600 engine for demanding applications on different soil types.



MH 710

252 cm³ • 5.2 kW/ 7.1 hp •
Tilling set diameter 36cm

Powerful STIHL EHC 700 engine for particularly tough tilling, mowing and weeding jobs. Suitable for agricultural applications such as: working large amounts of mulch, compost & manure into soil, intercultivation between rows, weeding & turning soil to loosen and aerate, making rows for planting.



FT 250

40.2 cm³ • 1.6 kW/ 2.2 hp

Low weight – excellent balance. Based on time-proven STIHL FS 250 brushcutter – but unit length, gearhead angle, handlebar and cutting tool have been optimized for cutting tea bushes. Drive tube padded in hip area – protects user from parts of machine heated by sun.

STIHL tillers can be used for ploughing, ridging, potato harvesting and increased traction iron wheels. They are also built with a PTO (Power Take Off) that can be adapted for extra tasks e.g. converting to water pump, sprayer.



STIHL EAST AFRICA PRODUCTS



AGRICULTURE

SPRAYERS, BLOWERS & MIST BLOWER



SG 11
3 bar • 0.6 l/min • 1.5 l

Manual sprayer for applying liquid pesticides, herbicides, fungicides and fertilizers. Translucent container with easy to read scale for liquid level. Pressure relief valve reduces risk of overpressure.



SG 31
3 bar • 1.0 l/min • 5 l

Can be carried comfortably over shoulder. Funnel shaped opening makes filling easy. Piston manometer with integral relief valve; also for releasing pressure manual.



BG 86
27.2 cm³ • 3.5 kg • 730 m³/h • 64 m/s • 0.54l

Suitable for clearing large areas of leaves and grass with 15N blowing force. Lightweight. Compact construction. Soft grip zone for secure and comfortable control. Equipped with modern technology HD2 filter for working even in dusty areas.



SG 51
6 bar • 1.4 l/min • 12 l

Manual sprayer for applying liquid pesticides, herbicides, fungicides and fertilizers. Length of pump lever adjustable; lever mounts to right or left of sprayer for right and left-handers. Ergonomic shut-off valve for greater operator convenience and accurate spraying.

SG 71 has a hip belt for good balance when carrying the unit.



SG 71
6 bar • 1.4 l/min • 18 l



BR 420
56.5 cm³ • 9.1 kg • 890 m³/h • 1260 m³/h

Lightweight. Compact construction. ElastoStart. Can be converted to mistblower.



SR 420
56.5 cm³ • 2.6 kW (3.5 hp) • 13 l

Comfortable to carry. Padded backplate and harness. Low center of gravity for greater operator comfort. Setting lever for holding the throttle trigger in a preset position. Units can also be used as blowers. Has a vertical spray range of 11.5m.



LANDSCAPING & GARDENING

BRUSHCUTTERS



FS 45

27.2 cm³ • 0.75 kW/ 1.0 hp • 4.3 kg

Very low weight. Compact size. Very simple to operate. Practical control handle with throttle trigger. Throttle trigger lockout and stop switch integrated in housing.



FS 120

30.8 cm³ • 1.3 kW/ 1.8 hp • 6.3 kg

Low weight, excellent balance. Bike handle fully adjustable to suit operator and swings in line with drive tube for easy transportation (toolless clamp). BF attachment may be used.



FS 250

40.2 cm³ • 1.6 kW/ 2.2 hp • 6.3 kg

Low weight. Excellent balance. Bike handle fully adjustable to suit operator and swings in line with drive tube for easy transportation (toolless clamp). BF attachment may be used.



FS 460

45.6 cm³ • 2.2 kW/ 3.0 hp • 8.5 kg

Four-point anti-vibration system for greater operator comfort and safety. Bike handle fully adjustable to suit operator and can be swivelled in line with drive shaft for easy transportation. Deluxe full harness for greater safety and less fatigue.

HEDGE TRIMMERS



HS 45

27.2 cm³ • 0.75 kW/ 1.0 hp • from 4.7 kg

An entry level hedge trimmer model for maintenance of shrubs and bushes in gardens and homesteads. It's lightweight, portable, and has a double-sided blade that enables a clean trim.



HS 82 R

22.7 cm³ • 0.7 kW/ 1.0 hp • from 5.3 kg

With the 'R' cutting blade design excellent for thinning rejuvenation and pruning of woody shrubs and hedges. 2-MIX engine ensures low fuel consumption. Double-sided blade cutting blade for clean and precise cutting. 38mm tooth spacing for professional and demanding pruning applications.



HS 87 R

22.7 cm³ • 0.7 kW/ 1.0 hp • 5.5 kg

Professional hedge trimmer with single-sided 'R' type cutting blade for pruning. Ideal for pruning overgrown shrubs due to its lightweight and well-balanced design. 2-MIX engine reducing fuel consumption, costs and improving overall run time.



CLEANING

HIGH PRESSURE CLEANERS



RE 80.0 X

Max 120 bar • Max 430 l/h • 7 kg • 1.7 kW

For cleaning jobs around the home and garden and for private car cleaning. This ultra-compact, lightweight entry-level tool is easy to transport and store. Equipped with multiple standard accessories allowing users to take on additional cleaning tasks.



RE 100.0 PLUS CONTROL

Max 150 bar • Max 450 l/h • 9.0 kg • 2.1 kW

3-in-one spray nozzle allows one to switch between fan-jet, rotary and detergent setting. With LED control panel on the spray gun to adjust the pressure levels depending on different surfaces that require cleaning. Low noise, zero emission machine ideal for homeowners and residential users.



RE 140 PLUS

Max 180 bar • Max 510 l/h • 22.7 kg • 2.5 kW

Most powerful high-pressure cleaner in the STIHL compact range. Convenient and foldable side storage compartment for safe storage of nozzles and power cable. With the rotary nozzle, adjustable fan jet nozzle and cleaning agent spray set so that the user can perform various cleaning tasks.



RE 170 PLUS

Max 180 bar • Max 648 l/h • 31 kg • 3.3 kW

Robust and powerful water blaster that is suitable for commercial or tough domestic use. The 12m steel-reinforced high-pressure hose gives one plenty of reach for cleaning tasks. Comes with 2 standard nozzle - rotary nozzle to remove stubborn dirt on surfaces and adjustable fan jet nozzle for more sensitive surfaces.



RE 272 PLUS

Max 200 bar • Max 620 l/h • 42 kg • 3.0 kW

Our highest professional cleaner with slow speed engine for long service life. Designed for commercial use in forestry, construction, cleaning, and agriculture to conveniently clean heavily soiled surfaces. Equipped with a pressure gauge for setting desired working pressure and water volume. Easy to connect due to quick-release couplings allowing one to save time especially when in use for long periods.

VACUUM CLEANERS



SE 33

Max vacuum 210 mbar • 12 l • 1.4 kW • 3600 l/h

Entry-level compact and powerful vacuum ideal for occasional cleaning. Has a practical blower function especially useful where vacuuming is not possible or practical, to still clean the area. Switchable floor nozzle for flexible changeover between wet and dry vacuuming.



SE 122

Max vacuum 250 mbar • 30 l • 1.5kW • 3600 l/h

Robust high-end wet & dry vacuum cleaner for professional use in cleaning services and industrial setting. Simple and effective maintenance with the touch of a button to clean the filter. Consistent and robust suction power due to its integrated multiple filter system.



CONSTRUCTION

CUT-OFF MACHINES



TS 420

66.7 cm³ • 3.2 kW/ 4.4 hp • Cutting Depth 125 mm

Its compact, lightweight, reliable, and proves itself day in and day out. An X2 air filtration system for a clean and smooth-running engine and virtually maintenance-free filters. With the added benefit of a 14" cutting wheel, it will handle cuts up to 4.9" in depth.

TS 800

98.5 cm³ • 5.0 kW/ 6.8 hp • Cutting Depth 145 mm

Features a 16" cutting wheel, the largest size we offer in a handheld design. It's also fuel efficient, with enough power to cut through asphalt, concrete, rebar, iron, and steel with ease. Has an ergonomic design and five-point advanced vibration control system built right into the handle. With a cutting depth of up to 5.6"



CONCRETE CUTTER



GS 461

76.5 cm³ • 4.3 kW/ 5.5 hp • 7.6 kg

With enhanced performance that cuts up to 15.7" deep into concrete, reinforced concrete (with rebar up to 1/2 inch), cinder blocks, masonry bricks, asphalt and soft stone. Features include a low exhaust emission engine, HD2 heavy-duty air filter, low vibration, and our exclusive Diamond Abrasive Chain.



230 SERIES

The Farmer Series consists of a powerful engine specifically designed for agricultural lands, with interchangeable spare parts compatible with all products in this range.



PORTABLE SPRAYER

SG 230

40.2 cm³ • 1.55 kW/ 2.1 hp • 11.8 l/min • 13.3 kg

Ergonomic portable sprayer easy to use on extensive agricultural land without the hustle of carrying it while spraying. Its versatile as able to spray even hard to reach and remote areas.



CULTIVATOR

BC 230

40.2 cm³ • 1.55 kW/ 2.1 hp • 20.2 kg

Ideal for loosening and crumbling soil, weed control, and incorporating organic material and fertilizer as well as plant preparation in agriculture. Fitted with 10" (25cm) rotating blades. Folding support frame for space-saving storage. Ergonomic handle design for comfortable working even in extended periods of work. Can reach up to a depth of 80m.



EARTH AUGER

BT 230

40.2 cm³ • 1.55 kW/ 2.1 hp • 10.9 kg

For drilling holes up to 12" deep. Can be fitted with standard auger bits (150-250mm). Ideal for drilling holes in planting and agriculture, setting posts and drainage shafts, or taking soil samples. Compact dimensions for ease of transportation.



BRUSHCUTTER

FS 230

40.2 cm³ • 1.55 kW/ 2.1 hp • 7.1 kg

Very reliable, robust and powerful engine ideal for use in farms for a variety of mowing applications including mass bush clearance and harvesting applications. With ergonomic bike handle for effortless mowing of large areas quickly as the handle supports rotational Brushcutter movements. Equipped with a foam filter that is easy to maintain.



WATER PUMP

WP 230

40.2 cm³ • 1.55 kW/ 2.1 hp • 1.5" Dia • Max 250 l/min • Suction 8m

Portable, practical, easy-to-use water pump for homeowners and farmers. Its low weight makes it easy to carry just by 1 person. Has a wide range of water conveying tasks such as extracting fresh water from surface waterbodies like lakes, rivers, streams, or ponds to use for irrigation of cultivated areas. It can also be used to pump out unwanted accumulations of water. This pump is protected against contamination by dust particles in the water by means of a suction strainer.



BATTERY PORTFOLIO

CHAINSAWS



MSA 161 T
2.5 kg • 1.25 kW

Handy cordless saw for arborists, weighing just 2.5 kg and capable of fine and extremely precise cuts. Suitable for use in noise-sensitive areas such as residential neighbourhoods, and around schools or hospitals.



MSA 70 C
2.9 kg • 1.1 kW

An excellent choice for pruning trees or shrubs around your home and garden, cutting beams to length, or other work in enclosed spaces. Safe to operate due to the QuickStop Super chain brake that instantly stops the saw chain when you release the rear handle.



MSA 200 C-B
3.5 kg • 1.8 kW

This chainsaw delivers excellent cutting performance and operates quietly due to its low-noise EC motor, making it suitable for use in noise-sensitive environments. The QuickStop Super chain brake enhances safety by rapidly stopping the saw chain in the event of kickback. It strikes the perfect balance between power and agility, all while maintaining a lightweight build.



MSA 220 C-B
3.6 kg • 2.1 kW

It is an excellent choice for professionals felling trees (up to 40 cm in diameter), delimbing, and cutting wood to length. STIHL Quick Chain Tensioning and a transparent oil tank with a tool-free cap ensure easy maintenance and refuelling. Its energy-efficient EC motor, empowers it to achieve peak cutting performance.

BLOWERS



BGA 60
2.3 kg* • 780 m³/h • 9 m/s**

Perfect tool for clearing leaves, grass, paper, and other blowable material from roads, paths, car parks, and other dry surfaces. It features a tool-free adjustable blower tube extendable by up to 16 cm. A protective metal ring around the nozzle prevents wear when the tube is accidentally bumped on the ground while clearing leaves.

* WITHOUT BATTERY **BOOST MODE



BGA 86
4.5 kg* • 810 m³/h • 69 m/s**

Variable speed control allows you to precisely adjust the blowing force to suit different surfaces. Comes with a round nozzle as standard, and the length of the blower tube can be adjusted to three different levels, catering to your height and ensuring comfortable ground clearance.

* WITHOUT BATTERY **BOOST MODE



BGA 100
2.5 kg* • 840 m³/h • 75 m/s**

The blower boasts a central control panel that enables you to adjust blowing power across three distinct levels, specific to the task at hand. It features an easily adjustable 3-step blower tube, allowing for efficient clearing of leaves and debris, even across larger areas. The new lightweight design shifts the battery weight from the unit to the back or hip, with a high-performance cable connecting system reducing user fatigue.

* WITHOUT BATTERY **BOOST MODE



BATTERY PORTFOLIO

LAWN MOWERS



RMA 248.0
55 litres • Cutting width 46 cm

Offers optimal mowing results with its 46cm cutting width and single point height adjustment that is adjustable between 20 – 100 mm. The 52-litre grass catcher box is ergonomically designed and easy to fully open for fast emptying. Housing built from sheet steel for long-lasting durability.



RMA 443.2C
55 litres • Cutting width 41 cm

Comes with a height-adjustable comfort handlebar that can be easily adjusted to your height, providing exceptional ergonomics for mowing medium/larger sized lawns. The energy-efficient Eco mode maximizes efficiency on a single charge by automatically adjusting the engine stroke rate for optimal performance depending on cutting load.



RMA 448.2VC
55 litres • Cutting width 46 cm

Its self-propel function has a variable speed setting control (STIHL Vario Drive system) to adjust the mowing speed between 2.0 to 4.5 km/h. The sturdy mono-comfort handlebar offers multiple advantages, including easy adjustment to suit your height for comfort during operation, easy access to the catcher, and foldability in one easy movement for compact storage.

BRUSHCUTTERS

FSA 60 R
3.3 kg

This brushcutter offers dependable, direct power to the cutting tool, ensuring consistent performance. Weighing 3.3 kg (without the battery), this trimmer is exceptionally lightweight and manoeuvrable, providing comfort during extended use. The variable speed trigger allows you to regulate the mowing head's speed during use, providing greater control and power efficiency.



FSA 120
4.3 kg

Efficiently able to mow large areas without the need for ear protection, making it ideal for noise-sensitive environments. The powerful EC motor allows direct speed adjustment on the control handle with two speed settings: Stage 1 (ECO mode) for lower engine speeds, extending battery life in lighter applications due to reduced energy consumption, and Stage 2 (FULL Speed mode) for tackling thicker grass and scrub.



FSA 135
4.9 kg

Equipped with a low-maintenance and efficient EC engine that works in an energy-efficient manner. Its three speed settings, including a power-saving mode indicated by an LED, allow for efficient working while conserving energy. The metal mesh air filter ensures longevity by providing effective engine cooling.





BATTERY PORTFOLIO

SPRAYER



SGA 85
6 bar • 17 l • 6.2 kg

Powerful internal electric pump, eliminating the need for manual pumping and ensuring a consistent and even delivery of spray from start to finish. The pressure setting can be easily adjusted from 1 to 6 bar using the dial, depending on the specific task at hand. The low weight and high-quality carrying system ensure a high level of working comfort and low fatigue. No exhaust gases mean you can use it in greenhouses and indoors.

HEDGE TRIMMERS



HSA 50
2.9 kg • 50 cm

For precise and quick trimming of medium-sized plants. The bow handle allows easy operation for both right- and left-handers. The cutting blade is protected by a screwed-on tip protector when working close to the ground or other obstacles.



HSA 100
3.6 kg • 60 cm

With 34 mm tooth spacing ensures excellent cutting performance and rapid work progress. The handle can be rotated into 3 positions across 180°, reducing strain on your wrist when cutting long hedges and making repeated motions. The maintenance-free EC engine always delivers a constant stroke rate, even under load and when cutting thicker branches.

PRUNER



HEDGE TRIMMER



HSA 26
0.8 kg • 20 cm

Perfect for keeping smaller evergreen hedges neat and for trimming small-leaved ornamental woody plants. The 20-cm teardrop-shaped shrub cutter, featuring optimised blade geometry effectively holds thin branches for precise cutting. The 12 cm width grass trimmer is ideal for efficient grass and lawn edge cutting.

PRUNER



GTA 26
1.2 kg • 10 cm

Offers high cutting performance, power, and precision in a lightweight handheld tool. Ideal for pruning trees and shrubs, cutting up garden waste, and building with wood. Designed for comfort, with a non-slip handle grip that enhances ergonomics, ensuring a secure hold. The tool-free sprocket cover and wing nut design allow easy chain changing, ensuring hassle-free maintenance and care.

VACUUM CLEANER



SEA 20
80 mbar • 1026 l/min • 0.8 l

The soft grip handle ensures a firm, comfortable hold, making it easy to operate. With a flexible non-return flap behind the suction nozzle, it keeps the vacuumed dirt inside the collection box. Excellent filter performance is provided by the two-stage filter system. Includes a number of practical accessories as standard: crevice nozzle, coarse dirt nozzle, vacuum hose, extension tube, paper filter, and filter basket.



HTA 86
4.6 kg

It is well-suited for garden and landscape maintenance professionals, those handling specialised tasks in forests, as well as gardeners with large properties. The rotatable clamping sleeve allows for quick extension of the telescopic shaft by up to 120 cm, while maintaining resistance against twisting and bending.



STIHL EAST AFRICA LTD.
RED COMMERCIAL COMPLEX,
MOMBASA ROAD,
P.O. BOX 375-00521,
NAIROBI, KENYA

 STIHLEA.CO.KE

 PHONE - 0111 041200

 STIHLEA

 STIHLEA

 STIHLEA